

LVR-Archaeological Park Xanten

Bahnhofstr. 46-50
46509 Xanten

Tel: 02801 98892-13

xanten@kulturinfo-rheinland.de
https://apx.lvr.de/de/willkommen/willkommen_1.html

Information for guests with walking difficulties

Information on accessibility was reviewed on October 15, 2025 as part of the quality criteria / system "Tourism for all".

Images of the building/object



LVR-Archaeological Park Xanten

©APX



LVR-Archaeological Park Xanten

©APX



LVR-Archaeological Park Xanten

©APX



LVR-Archaeological Park Xanten

©Guido Bonewitz-Raband

Parking



Parking

©Guido Bonewitz-Raband

Parking lot

Parking lot entrance city center



Parking lot entrance city center

©Guido Bonewitz-Raband



Parking lot entrance city center

©Guido Bonewitz-Raband



Parking lot entrance city center

©Guido Bonewitz-Raband

There is no company parking available.

Parking lot entrance to the Roman Museum



Parking lot entrance to the Roman Museum

©Guido Bonewitz-Raband



Parking lot entrance to the Roman Museum

©Guido Bonewitz-Raband



Parking lot entrance to the Roman Museum

©Guido Bonewitz-Raband

There is a general parking lot available.

There is at least one parking space for people with disabilities.

There is/are 6 parking space(s) for people with disabilities.

Parking space width: 400 cm

Parking space length: 500 cm

The surface quality of the car park is vibration-free and is easy to walk and drive on (e.g. asphalt, narrow-jointed slabs, etc.).

Distance from the parking space(s) for people with disabilities to the entrance area: 25 m

The parking space(s) for people with disabilities is/are marked.

Parking lot entrance to harbor temple



Parking lot entrance to harbor temple

©Guido Bonewitz-Raband



Parking lot entrance to harbor temple

©Guido Bonewitz-Raband

There is a general parking lot available.

There is at least one parking space for people with disabilities.

There is/are 10 parking space(s) for people with disabilities.

Parking space width: 350 cm

Parking space length: 500 cm

The surface quality of the car park is vibration-free and is easy to walk and drive on (e.g. asphalt, narrow-jointed slabs, etc.).

Distance from the parking space(s) for people with disabilities to the entrance area: 750 m

The parking space(s) for people with disabilities is/are marked.

External path

Path to the Römer Museum car park to the Römer Museum checkout



Path to the Römer Museum car park to the Römer Museum checkout

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 25 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is no seating available.

Path to the Hafentemple car park to the Hafentemple checkout



Path to the
Hafentemple car park
to the Hafentemple
checkout

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 25 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Path parking lot city entrance to the ticket office city entrance



Path parking lot city
entrance to the ticket
office city entrance

©Guido Bonewitz-Raband



Path parking lot city
entrance to the ticket
office city entrance

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 100 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is no seating available.

Public transportation



Public transportation

©Guido Bonewitz-Raband

Train/Bus platform/Ship dock

Archaeological Park bus stop (city entrance car park)



Train/Bus platform/
Ship dock

©Guido Bonewitz-Raband



Train/Bus platform/
Ship dock

©Guido Bonewitz-Raband

Xanten station platform



Xanten station
platform

©Guido Bonewitz-Raband

Additional information only available in German: Distance from Xanten train station to the LVR-RömerMuseum entrance 785m

Xanten train station bus stop



Xanten train station
bus stop

©Guido Bonewitz-Raband

Additional information only available in German: Distance from Xanten train station to the LVR-RömerMuseum entrance 785m

External path

Path parking lot city entrance to the ticket office city entrance



Path parking lot city
entrance to the ticket
office city entrance

©Guido Bonewitz-Raband



Path parking lot city
entrance to the ticket
office city entrance

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 100 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.


There is no seating available.

From the Xanten train station stop to the LVR-RömerMuseum entrance



From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband



From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband



From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband




From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband



From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband



From the Xanten train station stop to the LVR-RömerMuseum entrance

©Guido Bonewitz-Raband

Width of the path: 150 cm

Length of the path: 785 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is no seating available.

Entrances



Entrances

©Guido Bonewitz-Raband

Entrance area

City center entrance



City center entrance

©Guido Bonewitz-Raband



City center entrance

©Guido Bonewitz-Raband

The entrance / access to the building is possible without steps.

The entrance door

Clear width of the passageway: 225 cm

Type of door: double leaf

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The WIDTH of the smaller manoeuvring area in front of / behind the door: 261 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 225 cm

The threshold height: 0 cm

Additional information only available in German: All entrance and exit doors have the same dimensions

Entrance to the harbor temple



Entrance to the harbor temple

©Guido Bonewitz-Raband



Entrance to the harbor temple

©Guido Bonewitz-Raband

The entrance / access to the building is possible without steps.

Entrance to the Roman Museum



Entrance to the Roman Museum

©Guido Bonewitz-Raband



Entrance to the Roman Museum

©Guido Bonewitz-Raband

The entrance / access to the building is possible without steps.

Additional information only available in German: Entrance is 120cm wide

External path

Path to the Hafentemple car park to the Hafentemple checkout



Path to the Hafentemple car park to the Hafentemple checkout

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 25 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Path to the Römer Museum car park to the Römer Museum checkout



Path to the Römer Museum car park to the Römer Museum checkout

©Guido Bonewitz-Raband

Width of the path: 200 cm

Length of the path: 25 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is no seating available.

Stairs from the harbor temple ticket office to the park entrance



Stairs from the harbor temple ticket office to the park entrance

©Guido Bonewitz-Raband

Existing thresholds/steps: 4

The height of the thresholds/steps: 17 cm

The staircase has no handrail.

Ramp ticket office harbor temple to the park entrance



Ramp ticket office harbor temple to the park entrance

©Guido Bonewitz-Raband



Ramp ticket office harbor temple to the park entrance

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 3 %

Minimum width of the ramp: 200 cm

Length of the longest ramp section: 5 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 10 m, including any existing landings.

The ramp has no handrail.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 214 cm

The DEPTH of the manoeuvring space in front of the ramp: 236 cm

The WIDTH of the manoeuvring space at the end of the ramp: 214 cm

The DEPTH of the manoeuvring space at the end of the ramp: 236 cm

Entrance area city entrance vestibule in front and behind the building between entrance doors 1 and 2



Entrance area city entrance vestibule in front and behind the building between entrance doors 1 and 2

©Guido Bonewitz-Raband



Entrance area city entrance vestibule in front and behind the building between entrance doors 1 and 2

©Guido Bonewitz-Raband

Length of the corridor/way/aisle: 3 m

Minimum width of the corridor/way/aisle: 261 cm

The width of the path/corridor is not restricted.

Cash desk / Ticket counter

Counter entrance city center



Counter entrance city center

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the counter: 189 cm

The DEPTH of the manoeuvring space in front of the counter: 554 cm

The counter / cash desk is at its highest point 121 cm high.

The counter / cash desk is at its lowest point 96 cm high.

There is another, equivalent communication possibility while in a sitting position.

Amphitheater – 1

Amphitheater



Amphitheater (1)

©Guido Bonewitz-Raband



Amphitheater (1)

©Guido Bonewitz-Raband



Amphitheater (1)

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 180 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide

Additional information only available in German: Step-free access to the visitor stands is possible via a ramp.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Example of the steps at the amphitheater



Example of the steps at the amphitheater

©Guido Bonewitz-Raband

Existing thresholds/steps: 6

The height of the thresholds/steps: 20 cm

The staircase has handrails on both sides.

Ramp to the exhibition



Ramp to the exhibition

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 6 %

Minimum width of the ramp: 130 cm

Length of the longest ramp section: 20 m

Minimum length of intermediate landings: 20 cm

The ramp has a total length of 20 m, including any existing landings.

The ramp has handrails on both sides.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 300 cm

The DEPTH of the manoeuvring space in front of the ramp: 250 cm

The WIDTH of the manoeuvring space at the end of the ramp: 300 cm

The DEPTH of the manoeuvring space at the end of the ramp: 250 cm

Exhibition Gladiators – 2

Gladiators exhibition in the amphitheater



Gladiators

©Guido Bonewitz-Raband



Gladiators

©Guido Bonewitz-Raband



Gladiators

©Guido Bonewitz-Raband



Gladiators

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 116 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 250 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Stairs to the exhibition



Stairs to the exhibition

©Guido Bonewitz-Raband

Existing thresholds/steps: 10

The height of the thresholds/steps: 19 cm

The staircase has handrails on both sides.

Ramp to the exhibition



Ramp to the exhibition

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 6 %

Minimum width of the ramp: 130 cm

Length of the longest ramp section: 20 m

Minimum length of intermediate landings: 20 cm

The ramp has a total length of 20 m, including any existing landings.

The ramp has handrails on both sides.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 300 cm

The DEPTH of the manoeuvring space in front of the ramp: 250 cm

The WIDTH of the manoeuvring space at the end of the ramp: 300 cm

The DEPTH of the manoeuvring space at the end of the ramp: 250 cm

accessible tower – 3



accessible tower – 3

©Guido Bonewitz-Raband



accessible tower – 3

©Guido Bonewitz-Raband



accessible tower – 3

©Guido Bonewitz-Raband

Tower and city wall



Tower and city wall

©Guido Bonewitz-Raband



Tower and city wall

©Guido Bonewitz-Raband



Tower and city wall

©Guido Bonewitz-Raband



Tower and city wall

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 153 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Apps Technical Aids: Audioguide

Additional information only available in German: The building is not accessible without steps.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Threshold/step/stairs

Stairs tower 1.OG



Stairs tower

©Guido Bonewitz-Raband



Stairs tower

©Guido Bonewitz-Raband



Stairs tower

©Guido Bonewitz-Raband

Existing thresholds/steps: 18

The height of the thresholds/steps: 24 cm

The staircase has handrails on both sides.

Stairs, tower, 2nd floor. Viewing platform



Stairs tower 1.OG
(Kopie)

©Guido Bonewitz-Raband



Stairs tower 1.OG
(Kopie)

©Guido Bonewitz-Raband

Existing thresholds/steps: 11

The height of the thresholds/steps: 24 cm

The staircase has handrails on both sides.

Door

Entrance door tower



Entrance door tower

©Guido Bonewitz-Raband

Clear width of the passageway: 120 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The WIDTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 387 cm

The threshold height: 3 cm

Door to the city wall



Entrance door tower
(Kopie)

©Guido Bonewitz-Raband

Clear width of the passageway: 70 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 10 cm

Roman hostel with workshops – 4



Roman hostel with workshops – 4

©Guido Bonewitz-Raband



Roman hostel with workshops – 4

©Guido Bonewitz-Raband



Roman hostel with workshops – 4

©Guido Bonewitz-Raband



Roman hostel with workshops – 4

©Guido Bonewitz-Raband

Roman inn with workshops



Roman inn with workshops

©Guido Bonewitz-Raband



Roman inn with workshops

©Guido Bonewitz-Raband



Roman inn with workshops

©Guido Bonewitz-Raband



Roman inn with workshops

©Guido Bonewitz-Raband



Roman inn with workshops

©Guido Bonewitz-Raband



Roman inn with workshops

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

External path

Path in the courtyard to the rooms



Path in the courtyard
to the rooms

©Guido Bonewitz-Raband

Width of the path: 150 cm

Length of the path: 80 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 156 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Additional information only available in German: There is a 4 cm threshold in the way.

Paths in the Xanten archaeological park



Paths in the Xanten
archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten
archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Stairs to the basement



Stairs to the basement

©Guido Bonewitz-Raband

Existing thresholds/steps: 8

The height of the thresholds/steps: 18 cm

The staircase has a handrail on one side.

Ramp

Ramp from the courtyard to the garden



Ramp from the courtyard to the garden

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 100 cm

Length of the longest ramp section: 1 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 1 m, including any existing landings.

The ramp has no handrail.

There are no handrails available.

The WIDTH of the manoeuvring space in front of the ramp: 300 cm

The DEPTH of the manoeuvring space in front of the ramp: 300 cm

The WIDTH of the manoeuvring space at the end of the ramp: 300 cm

The DEPTH of the manoeuvring space at the end of the ramp: 300 cm

Ramp from the bathhouse to the courtyard



Ramp from the bathhouse to the courtyard

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 100 cm

Length of the longest ramp section: 2 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 0 m, including any existing landings.

The ramp has no handrail.

There are no handrails available.

The WIDTH of the manoeuvring space in front of the ramp: 200 cm

The DEPTH of the manoeuvring space in front of the ramp: 200 cm

The WIDTH of the manoeuvring space at the end of the ramp: 300 cm

The DEPTH of the manoeuvring space at the end of the ramp: 300 cm

Door

Main entrance door to the hostel



Main entrance door to the hostel

©Guido Bonewitz-Raband

Clear width of the passageway: 178 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 400 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 4 cm

Additional information only available in German: A threshold of 4.5 cm high to the door

Door from main entrance to backyard



Door from main entrance to backyard

©Guido Bonewitz-Raband

Clear width of the passageway: 106 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The threshold height: 3 cm

Door to the kitchen



Door to the kitchen

©Guido Bonewitz-Raband

Clear width of the passageway: 89 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 3 cm

Door to the bathhouse



Door to the bathhouse

©Guido Bonewitz-Raband

Clear width of the passageway: 91 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 250 cm

The threshold height: 14 cm

Door from the bathhouse anteroom to the bathing rooms



Door from the bathhouse anteroom to the bathing rooms

©Guido Bonewitz-Raband

Clear width of the passageway: 137 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 250 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 250 cm

The threshold height: 4 cm

Doors between the bathrooms



Doors between the bathrooms

©Guido Bonewitz-Raband



Doors between the bathrooms

©Guido Bonewitz-Raband



Doors between the bathrooms

©Guido Bonewitz-Raband

Clear width of the passageway: 103 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The threshold height: 0 cm

Door from the courtyard bathhouse to the main path



Door from the courtyard bathhouse to the main path

©Guido Bonewitz-Raband

Clear width of the passageway: 137 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 320 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 380 cm

The threshold height: 3 cm

Craftsman houses – 5




Craftsman houses – 5

©APX



Craftsman houses – 5

©Guido Bonewitz-Raband



Craftsman houses – 5

©Guido Bonewitz-Raband



Craftsman houses – 5

©Guido Bonewitz-Raband



Craftsman houses – 5

©Guido Bonewitz-Raband

Craftsman's cottage




Craftsman's cottage

©APX



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband



Craftsman's cottage

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Additional information only available in German: All doors are open in the craftsmen's houses

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Threshold/step/stairs

Stairs to the 1st floor from the left craftsman's house



Stairs to the 1st floor

©Guido Bonewitz-Raband

Existing thresholds/steps: 18

The height of the thresholds/steps: 24 cm

The staircase has handrails on both sides.

Stairs to the 1st floor bedrooms



Stairs to the 1st floor bedrooms

©Guido Bonewitz-Raband



Stairs to the 1st floor bedrooms

©Guido Bonewitz-Raband

Existing thresholds/steps: 14

The height of the thresholds/steps: 24 cm

The staircase has no handrail.

2nd staircase to the 1st floor bedrooms



2nd staircase to the 1st floor bedrooms

©Guido Bonewitz-Raband

Existing thresholds/steps: 18

The height of the thresholds/steps: 19,5 cm

The staircase has a handrail on one side.

Ramp

Ramps to the respective rooms of the craftsmen's houses from the main path



Ramps in the respective rooms of the craftsmen's houses

©Guido Bonewitz-Raband



Ramps in the respective rooms of the craftsmen's houses

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 100 cm

Length of the longest ramp section: 1,5 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 0 m, including any existing landings.

The ramp has no handrail.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 300 cm

The DEPTH of the manoeuvring space in front of the ramp: 300 cm

The WIDTH of the manoeuvring space at the end of the ramp: 120 cm

The DEPTH of the manoeuvring space at the end of the ramp: 150 cm

Ramp for the exits to the inner courtyards



Ramp for the exits to the inner courtyards

©Guido Bonewitz-Raband



Ramp for the exits to the inner courtyards

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 100 cm

Length of the longest ramp section: 1,5 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 0 m, including any existing landings.

The ramp has no handrail.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 120 cm

The DEPTH of the manoeuvring space in front of the ramp: 150 cm

The WIDTH of the manoeuvring space at the end of the ramp: 200 cm

The DEPTH of the manoeuvring space at the end of the ramp: 200 cm

Door

1. Entrance door craftsman house



1. Entrance door
craftsman house

©Guido Bonewitz-Raband

Clear width of the passageway: 100 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 2 cm

1. Door to the courtyard



1. Door to the
courtyard

©Guido Bonewitz-Raband

Clear width of the passageway: 120 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 2 cm

1st intermediate door in the 1st OG



1st intermediate door
in the 1st OG

©Guido Bonewitz-Raband

Clear width of the passageway: 79 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 2 cm

1. Door to the balcony



1. Door to the balcony

©Guido Bonewitz-Raband

Clear width of the passageway: 80 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 110 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 6 cm

2. Door to the balcony



2. Door to the balcony

©Guido Bonewitz-Raband

Clear width of the passageway: 118 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 5,5 cm

2. Entrance door



2. Entrance door

©Guido Bonewitz-Raband

Clear width of the passageway: 118 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 2 cm

3. Entrance door craftsman's house



3. Entrance door craftsman's house

©Guido Bonewitz-Raband

Clear width of the passageway: 102 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 100 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 2 cm

4. Entrance door craftsman's house



4. Entrance door craftsman's house

©Guido Bonewitz-Raband

Clear width of the passageway: 155 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 100 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 3 cm

2. Door to the courtyard



2. Door to the courtyard

©Guido Bonewitz-Raband

Clear width of the passageway: 78 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 13 cm

Door bedrooms 1st floor



Door bedrooms 1st floor

©Guido Bonewitz-Raband

Clear width of the passageway: 80 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 0 cm

2nd door bedrooms 1st floor



2nd door bedrooms
1st floor

©Guido Bonewitz-Raband

Clear width of the passageway: 117 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 1 cm

3rd door bedrooms 1st floor



3rd door bedrooms 1st
floor

©Guido Bonewitz-Raband

Clear width of the passageway: 55 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 60 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 0 cm

Door to the second staircase to the ground floor bedrooms



Door to the stairs to
the ground floor

©Guido Bonewitz-Raband

Clear width of the passageway: 69 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 70 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 70 cm

The threshold height: 0 cm

3. Door to the backyard



3. Door to the
backyard

©Guido Bonewitz-Raband

Clear width of the passageway: 113 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 115 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 3 cm

Door from the courtyard to the workshop



Door from the courtyard to the workshop

©Guido Bonewitz-Raband

Clear width of the passageway: 62 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 0 cm

Additional information only available in German: Passage only 62 cm wide through the stone block in the middle.

Door to courtyard for basic accommodation



Door to courtyard for basic accommodation

©Guido Bonewitz-Raband

Clear width of the passageway: 76 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 100 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The threshold height: 0 cm

Roman foundation walls – 6th century



Roman foundation walls – 6th century

©Guido Bonewitz-Raband

Roman foundation walls



Roman foundation walls

©Guido Bonewitz-Raband



Roman foundation walls

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 300 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Door to the pavilion



Door 26

©Guido Bonewitz-Raband

Clear width of the passageway: 101 cm

Type of door: single leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 120 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 300 cm

The threshold height: 0 cm

Harbor Temple – 7



Harbor Temple – 7

©Guido Bonewitz-Raband

Station/Object/Exhibit outdoors

Hafentempel



Hafentempel

©Guido Bonewitz-Raband



Hafentempel

©Guido Bonewitz-Raband



Hafentempel

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 300 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Apps Technical Aids: Audioguide

Additional information only available in German: The building is not accessible without steps.

Port Temple exhibition



Port Temple exhibition

©Guido Bonewitz-Raband



Port Temple exhibition

©Guido Bonewitz-Raband



Port Temple exhibition

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 140 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 300 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Additional information only available in German: The passage is 120cm wide.

Foundation of the harbor temple



Foundation of the harbor temple

©Guido Bonewitz-Raband



Foundation of the harbor temple

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 140 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is not predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Threshold/step/stairs

Stairs at the harbor temple



Stairs at the harbor temple

©Guido Bonewitz-Raband

Existing thresholds/steps: 15

The height of the thresholds/steps: 22 cm

The staircase has handrails on both sides.

Stairs to the foundations of the harbor temple



Stairs to the foundations of the harbor temple

©Guido Bonewitz-Raband

Existing thresholds/steps: 18

The height of the thresholds/steps: 18 cm

The staircase has handrails on both sides.

Rampe zur Ausstellung im Hafentempel



Rampe zur Ausstellung im Hafentempel

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 5 cm

Length of the longest ramp section: 5 m

There is one or more intermediate landings.

Minimum length of intermediate landings: 148 cm

The ramp has a total length of 140 m, including any existing landings.

The ramp has no handrail.

There are no handrails available.

The WIDTH of the manoeuvring space in front of the ramp: 150 cm

The DEPTH of the manoeuvring space in front of the ramp: 150 cm

The WIDTH of the manoeuvring space at the end of the ramp: 140 cm

The DEPTH of the manoeuvring space at the end of the ramp: 148 cm

Oven and mill – 8



Oven and mill – 8

©Guido Bonewitz-Raband

Oven and mill



Oven and mill

©Guido Bonewitz-Raband



Oven and mill

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Building and technology with rock garden – 9



Building and technology with rock garden – 9

©Guido Bonewitz-Raband



Building and technology with rock garden – 9

©Guido Bonewitz-Raband

Station/Object/Exhibit outdoors

Rock garden



Rock garden

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Construction and technology



Construction and technology

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 150 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide QR-Codes

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Door to the building and technology hall



Door to the building and technology hall

©Guido Bonewitz-Raband

Clear width of the passageway: 103 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 210 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 0 cm

Roads and traffic – 10



Roads and traffic – 10

©Guido Bonewitz-Raband



Roads and traffic – 10

©Guido Bonewitz-Raband

Roads and traffic



Roads and traffic

©Guido Bonewitz-Raband



Roads and traffic

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 120 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide QR-Codes

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Door to the hall roads and traffic



Door to the hall roads
and traffic

©Guido Bonewitz-Raband

Clear width of the passageway: 108 cm

Type of door: double leaf

The WIDTH of the smaller manoeuvring area in front of / behind the door: 210 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 180 cm

The threshold height: 0 cm

North Gate -11



North Gate -11

©LVR-Archäologischer Park
Xanten

North Gate



North Gate

©LVR-Archäologischer Park
Xanten

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Apps

Stairs in the north gate

Existing thresholds/steps: 25

The height of the thresholds/steps: 24 cm

The staircase has handrails on both sides.

Death and Burial – 12

Death and Burial – 12



Death and Burial – 12

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Apps

Ship tent – 14 open from March to October



Ship tent – 14 open from March to October

©Guido Bonewitz-Raband



Ship tent – 14 open from March to October

©Guido Bonewitz-Raband

Ship tent



Ship tent

©Guido Bonewitz-Raband



Ship tent

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 140 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Ramp

1. Ramp ship tent



1. Ramp ship tent

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 102 cm

Length of the longest ramp section: 10 m

There is one or more intermediate landings.

Minimum length of intermediate landings: 140 cm

The ramp has a total length of 140 m, including any existing landings.

The ramp has no handrail.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 150 cm

The DEPTH of the manoeuvring space in front of the ramp: 200 cm

The WIDTH of the manoeuvring space at the end of the ramp: 104 cm

The DEPTH of the manoeuvring space at the end of the ramp: 270 cm

2. Ramp ship tent



2. Ramp ship tent

©Guido Bonewitz-Raband

Maximum longitudinal gradient of the ramp: 10 %

Minimum width of the ramp: 103 cm

Length of the longest ramp section: 7 m

Minimum length of intermediate landings: 0 cm

The ramp has a total length of 7 m, including any existing landings.

The ramp has no handrail.

The handrails are not horizontally extended at the beginning and at the end.

The WIDTH of the manoeuvring space in front of the ramp: 140 cm

The DEPTH of the manoeuvring space in front of the ramp: 200 cm

The WIDTH of the manoeuvring space at the end of the ramp: 99 cm

The DEPTH of the manoeuvring space at the end of the ramp: 380 cm

Limes Pavilion – 16

Entrance hall Limes Pavilion



Vorraum

©Guido Bonewitz–Raband

The WIDTH of the room: 325 m

The DEPTH of the room: 590 m

The width of the narrowest passageway in the room: 325 cm

There is seating available.

Limes Pavilion



Limes Pavilion

©Guido Bonewitz–Raband



Limes Pavilion

©Guido Bonewitz–Raband



Limes Pavilion

©Guido Bonewitz–Raband

Door to the showroom

Clear width of the passageway: 117 cm

Type of door: double leaf

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The WIDTH of the smaller manoeuvring area in front of / behind the door: 325 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 590 cm

The threshold height: 0 cm

The width of the narrowest passageway in the room: 150 cm

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Matron Temple – 17th century

Matron Temple



Matron Temple

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The DEPTH of the manoeuvring space in front of the station/object/exhibit: 200 cm

The station/object/exhibit is predominately visible, perceptible or recognisable when seated.

Technical Aids: Audioguide Apps

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

APXplorer – 18 see extra operation LVR–Römer Museum in the Xanten archaeological park.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Playhouse – 19th

Playhouse



Playhouse

©Guido Bonewitz-Raband



Playhouse

©Guido Bonewitz-Raband

Door to the showroom

Clear width of the passageway: 114 cm

Type of door: double leaf

The door is opened requiring the users own effort.

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 1,5 cm

The width of the narrowest passageway in the room: 120 cm

Public toilet in the playhouse



Public toilet in the playhouse

©Guido Bonewitz-Raband



Public toilet in the playhouse

©Guido Bonewitz-Raband

Door to public toilet

Clear width of the passageway: 94 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The smaller manoeuvring area in front of / behind the door is 160 cm deep an 200 cm wide.

The threshold height: 0 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 70 cm

The WIDTH of the manoeuvring space left of the toilet: 94 cm

The DEPTH of the manoeuvring space left of the toilet: 400 cm

The WIDTH of the manoeuvring space right of the toilet: 26 cm

The DEPTH of the manoeuvring space right of the toilet: 180 cm

The WIDTH of the manoeuvring space in front of the toilet: 160 cm

The DEPTH of the manoeuvring space in front of the toilet: 140 cm

The height of the toilet seat: 48 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 26 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 94 cm

The DEPTH of the manoeuvring space in front of the sink: 400 cm

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Stairs to the activity rooms



Stairs to the activity rooms

©Guido Bonewitz-Raband

Existing thresholds/steps: 14

The height of the thresholds/steps: 18 cm

The staircase has handrails on both sides.

playground



playground

©Guido Bonewitz-Raband



playground

©Guido Bonewitz-Raband



playground

©Guido Bonewitz-Raband

Playground

Playground



Playground

©Guido Bonewitz-Raband



Playground

©Guido Bonewitz-Raband



Playground

©Guido Bonewitz-Raband



Playground

©Guido Bonewitz-Raband



Playground

©Guido Bonewitz-Raband

The play area is also wheelchair accessible.

The WIDTH of the smallest manoeuvring space between the playground equipment: 150 cm

The DEPTH of the smallest manoeuvring space between the playground equipment: 100 cm

The adventure areas are accessible at least from side paths.

Playground at the Café Mühle



Playground at the Café Mühle

©Guido Bonewitz-Raband

The play area is not wheelchair accessible.

The WIDTH of the smallest manoeuvring space between the playground equipment: 200 cm

The DEPTH of the smallest manoeuvring space between the playground equipment: 200 cm

The adventure areas are not accessible at least from side paths.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Get on the APXpress bus, get off, discover!



Get on the APXpress bus, get off, discover!

©Guido Bonewitz-Raband

bus platform



bus platform

©Guido Bonewitz-Raband



bus platform

©Guido Bonewitz-Raband



bus platform

©Guido Bonewitz-Raband

Distance from the train/bus platform/ship pier to the entrance area for people with disabilities: 0 m

Width of the manoeuvring space along the train/bus platform/ship pier: 150 cm

There are no seating areas available.

Aids are offered for boarding and disembarking: The vehicle is equipped with a wheelchair ramp in the rear trailer. The service staff will help you get in and out.

The APXpress bus



The APXpress bus

©Guido Bonewitz-Raband



The APXpress bus

©Guido Bonewitz-Raband



The APXpress bus

©Guido Bonewitz-Raband



The APXpress bus

©Guido Bonewitz-Raband

Operating hours from the end of March to the end of October between 10 a.m. and 5 p.m.
People with mobility impairments, wheelchairs and walkers have priority. Unfortunately, strollers, balance bikes and dogs cannot travel.
People with a severely disabled pass travel free of charge.
Service staff for entry and exit.

Shop



Shop

©Guido Bonewitz-Raband

Counter entrance city center



Counter entrance city center

©Guido Bonewitz-Raband

The WIDTH of the manoeuvring space in front of the counter: 189 cm

The DEPTH of the manoeuvring space in front of the counter: 554 cm

The counter / cash desk is at its highest point 121 cm high.

The counter / cash desk is at its lowest point 96 cm high.

There is another, equivalent communication possibility while in a sitting position.

Shop at the entrance to the city center



Shop at the entrance to the city center

©Guido Bonewitz-Raband



Shop at the entrance to the city center

©Guido Bonewitz-Raband

The WIDTH of the room: 511 m

The DEPTH of the room: 462 m

The width of the narrowest passageway in the room: 200 cm

There is no seating available.

Gastronomy Mill Café

Dining area



Dining area

©Guido Bonewitz-Raband



Dining area

©Guido Bonewitz-Raband



Dining area

©Guido Bonewitz-Raband

Door to the dining room

Clear width of the passageway: 98 cm

Type of door: double leaf

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The WIDTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 200 cm

The threshold height: 2,5 cm

The width of the narrowest passageway in the room: 180 cm

Public toilet in the KaffeeMühle

Door to public toilet

Clear width of the passageway: 97 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The smaller manoeuvring area in front of / behind the door is 120 cm deep an 100 cm wide.

The threshold height: 0 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 71 cm

The WIDTH of the manoeuvring space left of the toilet: 147 cm

The DEPTH of the manoeuvring space left of the toilet: 150 cm

The WIDTH of the manoeuvring space right of the toilet: 98 cm

The DEPTH of the manoeuvring space right of the toilet: 180 cm

The WIDTH of the manoeuvring space in front of the toilet: 200 cm

The DEPTH of the manoeuvring space in front of the toilet: 140 cm

The height of the toilet seat: 48 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 98 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 140 cm

The DEPTH of the manoeuvring space in front of the sink: 180 cm

Outdoor dining



Outdoor dining

©Guido Bonewitz-Raband



Outdoor dining

©Guido Bonewitz-Raband

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The area (outdoor dining) is 12 m deep and 7 m wide.

The width of the narrowest passageway in the outdoor dining area: 120 cm

There is self-service, i.e. food/drinks are served and must be collected.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Public toilet

public toilet anteroom entrance parking lot city entrance



public toilet
anteroom entrance
parking lot city
entrance

©Guido Bonewitz-Raband

Door to the room

Clear width of the passageway: 90 cm

Type of door/passageway: other

The door is opened requiring the users own effort.

The WIDTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The DEPTH of the smaller manoeuvring area in front of / behind the door: 150 cm

The threshold height: 0 cm

The WIDTH of the room: 150 m

The DEPTH of the room: 110 m

The width of the narrowest passageway in the room: 90 cm

There is no seating available.

Public toilet

Toilet house near amphitheater



Toilet house near amphitheater

©Guido Bonewitz-Raband



Toilet house near amphitheater

©Guido Bonewitz-Raband



Toilet house near amphitheater

©Guido Bonewitz-Raband



Toilet house near amphitheater

©Guido Bonewitz-Raband

Door to public toilet

Clear width of the passageway: 91 cm

Type of door: single leaf

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The smaller manoeuvring area in front of / behind the door is 167 cm deep and 182 cm wide.

The threshold height: 2 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 70 cm

The WIDTH of the manoeuvring space left of the toilet: 87 cm

The DEPTH of the manoeuvring space left of the toilet: 167 cm

The WIDTH of the manoeuvring space right of the toilet: 96 cm

The DEPTH of the manoeuvring space right of the toilet: 177 cm

The WIDTH of the manoeuvring space in front of the toilet: 182 cm

The DEPTH of the manoeuvring space in front of the toilet: 167 cm

The height of the toilet seat: 50 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 77 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 167 cm

The DEPTH of the manoeuvring space in front of the sink: 182 cm

Toilet house nearby at the playground



Toilet house nearby at the playground

©Guido Bonewitz-Raband



Toilet house nearby at the playground

©Guido Bonewitz-Raband



Toilet house nearby at the playground

©Guido Bonewitz-Raband



Toilet house nearby at the playground

©Guido Bonewitz-Raband

Door to public toilet

Clear width of the passageway: 91 cm

Type of door: single leaf

The door is opened without using any force (lever handle, light barrier sensor, motion detector, etc.).

The smaller manoeuvring area in front of / behind the door is 150 cm deep and 230 cm wide.

The threshold height: 1 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 71 cm

The WIDTH of the manoeuvring space left of the toilet: 107 cm

The DEPTH of the manoeuvring space left of the toilet: 260 cm

The WIDTH of the manoeuvring space right of the toilet: 92 cm

The DEPTH of the manoeuvring space right of the toilet: 330 cm

The WIDTH of the manoeuvring space in front of the toilet: 184 cm

The DEPTH of the manoeuvring space in front of the toilet: 260 cm

The height of the toilet seat: 53 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 92 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 260 cm

The DEPTH of the manoeuvring space in front of the sink: 184 cm

Public toilet in the KaffeeMühle

Door to public toilet

Clear width of the passageway: 97 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The smaller manoeuvring area in front of / behind the door is 120 cm deep an 100 cm wide.

The threshold height: 0 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 71 cm

The WIDTH of the manoeuvring space left of the toilet: 147 cm

The DEPTH of the manoeuvring space left of the toilet: 150 cm

The WIDTH of the manoeuvring space right of the toilet: 98 cm

The DEPTH of the manoeuvring space right of the toilet: 180 cm

The WIDTH of the manoeuvring space in front of the toilet: 200 cm

The DEPTH of the manoeuvring space in front of the toilet: 140 cm

The height of the toilet seat: 48 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 98 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 140 cm

The DEPTH of the manoeuvring space in front of the sink: 180 cm

Public toilet at the entrance to the Römer Museum car park



Public toilet at the entrance to the Römer Museum car park

©Guido Bonewitz-Raband



Public toilet at the entrance to the Römer Museum car park

©Guido Bonewitz-Raband



Public toilet at the entrance to the Römer Museum car park

©Guido Bonewitz-Raband



Public toilet at the entrance to the Römer Museum car park

©Guido Bonewitz-Raband

Door to public toilet

Clear width of the passageway: 90 cm

Type of door: single leaf

The door is opened requiring the users own effort.

The smaller manoeuvring area in front of / behind the door is 126 cm deep an 156 cm wide.

The threshold height: 2 cm

The toilet door can be opened without a key.

Toilet/WC

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 70 cm

The WIDTH of the manoeuvring space left of the toilet: 100 cm

The DEPTH of the manoeuvring space left of the toilet: 70 cm

The WIDTH of the manoeuvring space right of the toilet: 96 cm

The DEPTH of the manoeuvring space right of the toilet: 70 cm

The WIDTH of the manoeuvring space in front of the toilet: 160 cm

The DEPTH of the manoeuvring space in front of the toilet: 148 cm

The height of the toilet seat: 48 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 96 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 150 cm

The DEPTH of the manoeuvring space in front of the sink: 149 cm

Public toilet at the entrance to the parking lot at the city entrance in the shop



Public toilet at the entrance to the parking lot at the city entrance in the shop

©Guido Bonewitz-Raband



Public toilet at the entrance to the parking lot at the city entrance in the shop

©Guido Bonewitz-Raband



Public toilet at the entrance to the parking lot at the city entrance in the shop

©Guido Bonewitz-Raband



Public toilet at the entrance to the parking lot at the city entrance in the shop

©Guido Bonewitz-Raband

Door to public toilet

Clear width of the passageway: 92 cm

Type of door/passageway: other

The door is opened requiring the users own effort.

The smaller manoeuvring area in front of / behind the door is 166 cm deep an 216 cm wide.

The threshold height: 0 cm

The toilet door can be opened without a key.

Toilet/WC

There is a uni-sex toilet.

There is a toilet available for people with disabilities.

The depth of the toilet bowl: 70 cm

The WIDTH of the manoeuvring space left of the toilet: 118 cm

The DEPTH of the manoeuvring space left of the toilet: 70 cm

The WIDTH of the manoeuvring space right of the toilet: 118 cm

The DEPTH of the manoeuvring space right of the toilet: 70 cm

The WIDTH of the manoeuvring space in front of the toilet: 216 cm

The DEPTH of the manoeuvring space in front of the toilet: 166 cm

The height of the toilet seat: 48 cm

Access to the manoeuvring space right or left of the toilet is restricted. The passage width is: 118 cm.

There is a grab rail on the left side of the toilet.

There is a grab rail on the right side of the toilet.

Washbasin/sink

The WIDTH of the manoeuvring space in front of the sink: 166 cm

The DEPTH of the manoeuvring space in front of the sink: 216 cm

External path

Path outside toilet block near amphitheater



Path outside
toilet block near
amphitheater

©Guido Bonewitz-Raband

Width of the path: 195 cm

Length of the path: 17 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 6 %

Maximum longitudinal gradient over a distance of 17 m.

There is no seating available.

Path outside toilet house near playground



Path outside toilet house near playground

©Guido Bonewitz-Raband

Width of the path: 195 cm

Length of the path: 10 m

The surface of the path is low in vibrations and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

Maximum longitudinal gradient of the path: 4 %

Maximum longitudinal gradient over a distance of 10 m.

There is no seating available.

Paths in the Xanten archaeological park



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband



Paths in the Xanten archaeological park

©Guido Bonewitz-Raband

Width of the path: 300 cm

Length of the path: 8000 m

Due to its surface characteristics, the path is not vibration-free and easy to walk on (e.g. asphalt, narrow-jointed slabs, etc.).

The path's clear width is limited on account of equipment.

The path's clear width is at least: 120 cm despite existing equipment

Maximum longitudinal gradient of the path: 0 %

Maximum longitudinal gradient over a distance of 0 m.

There is seating available.

Aids

Alarm/Aids

Aids are offered.

Audio guides. Walker, Wheelchair,

Other aids offered: App

Guided tours are offered for people with disabilities.

Additional information only available in German: Induction loop system at the city center entrance

Guided tours

Guided tours

Guided tours are offered for people with walking impairments.

The guides are trained so that people with walking impairments can participate in any guided tour.

A reservation for the guided tour is necessary.

There are mobile or fixed seats available for people with walking impairments, which can be used during the guided tour.

The entire route of the guided tour is accessible for wheelchair users.